


Argo Steering Team Meeting (AST-17)

National report of India

1. The status of implementation

1.1a Floats deployment

During the year 2015–16, 31 floats were deployed in the Indian Ocean, taking the total to 396. The new deployment includes 8 Bio-Argo floats with additional sensors like Doxy, FLBB, Chl-a. Due to unexpected technical issues with the ship, we could not deploy 10 floats identified for southern Ocean. However, these floats will be deployed during next southern summer.



1.1b performance Analysis of Floats deployed

Out of 396 floats deployed so far 137 floats are actively giving data. Out of these 137 active floats, 96 (67) floats are less than 3 (2) years old.

1.2 Technical problems encountered and solved

None

1.3 Status of contributions to Argo data management

- **Data acquired from floats**
India had deployed 396 floats so far. Out of these 137 floats are active. All the active floats data are processed and sent to GDAC.
- **Data issued to GTS**
TESAC and BUFR format messages from these floats are being sent to GTS via New Delhi RTH.
- **Data issued to GDACs after real-time QC**
All the active floats (137) data are subject to real time quality control and are being sent to GDAC.
- **Web pages**
INCOIS is maintaining Web-GIS based site for Indian Argo Program. It contains entire Indian Ocean floats data along with trajectories. Further details can be obtained by following the link:
http://www.incois.gov.in/incois/argo/argo_home.jsp.
- **Statistics of Argo data usage**
Argo data is widely put to use by various Organisations/Universities/Departments. INCOIS Argo web page statistics (for the past one year) are as shown below

Page	Views	Visitor
Argo Web-Gis	1027	1129
Data downloads	1492	1570
Live Access Server	2,57,809	1,13,702
Argo products	1842	1097

- Argo data viewer developed at INCOIS and supplied to the users through DVDs is now also available from Argo UCSD web site. The link for viewing the same is: http://www.argo.ucsd.edu/incois_ADV.html
- User interactions were conducted to bring about awareness about the Argo data among the researchers and students from various organizations and universities respectively.
- INCOIS is also conducting University outreach program wherein scientists visit various universities to bring about awareness about the data available through INCOIS. Students are encouraged to use Argo data for their MS thesis dissertations, thereby giving wide publicity to the Argo program. The publications and dissertations arising out of the Argo program are well documented at INCOIS.
- INCOIS also started issuing projects to universities to utilize the Argo data. A visualization project using Argo data is sanctioned to IIIT, Bangalore.

1.4 Status of Delayed Mode Quality Control process

DMQC is done on all eligible floats on a routine basis.

- Around 250 floats were passed through the DMQC s/w and the following problems are tackled

- Pressure Sensor offsets.
- Salinity drift.
- Salinity Hooks.
- TBTO problems.
- TNPD problems. etc
- Around 57 % of FLOATS are DMQCD for INCOIS DAC. Migration to Ver 3.1 is hampering the progress in DMQC processing.

1.5 Trajectory files status:

A total of 394 trajectory netcdf files were processed and uploaded to the GDAC. The process of generation of trajectory netcdf files undergoes quality checks like position, time, cycle number, etc., and corresponding quality status is assigned to each parameter. Trajectory files in Ver 3.1 format need to be finished and uploaded to GDAC.

2. Present level of and future prospects for national funding for Argo including a summary of the level of human resources devoted to Argo.

Indian Argo Project is a 5 year Program (April 2012 to March 2017) fully funded by Ministry of Earth Sciences, (MoES), Govt. of India. Funding is secured for deployment of 200 Argo floats (40 floats per year including 10 Bio-argo floats), Data management activities, Data analysis, etc. until 2017. During the next plan period 2017-2022, India plans to deploy 50 floats/per (40 tropical Indian Ocean and 10 in the Southern ocean)

Three Permanent and three temporary scientific/technical personnel are working under Indian Argo project, which include personal for deployment of Argo floats, Data system, Analysis of Data, etc.

3. Summary of deployment plans (level of commitment, areas of float deployment) and other commitments to Argo (data management) for the upcoming year and beyond where possible.

India is committed to deploy floats in the Indian Ocean wherever gap exists. India has committed 40 floats per year until 2017 (10 floats each in the Southern Ocean, Bay of Bengal, equatorial Indian Ocean and Arabian Sea). Out of 40 floats, 10 floats will be bio-argo floats. After ascertaining the gap region and cruise plan of MoES research vessels, these floats will be deployed. The existing data management resources will continue until 2017. During the next plan period 2017-2022, India plans to deploy 50 floats/per (40 in the Tropical Indian Ocean and 10 in the Southern ocean)

4. Summary of national research and operational uses of Argo data as well as contributions to Argo Regional Centers.

Operational: All Argo data are being routinely assimilated in Ocean Model for providing Global ocean analysis. This analysis is being used by Indian MET department for initialization of coupled ocean-atmosphere forecast of the Monsoon. From the year 2011, India is providing seasonal forecast of monsoon using dynamical model wherein Ocean analysis (with assimilation

of Argo) is an important contribution. The analysis products are being made available through INCOIS live access server (las.incois.gov.in)


Research: Argo data are being widely used for many applications to understand the Indian Ocean dynamics, cyclone and monsoon system in relation to heat content, thermohaline component of sea level and validation of OGCM by various Indian institutions and university students.

Argo Regional Centre (ARC) - Indian Ocean

<http://www.incois.gov.in/argo/ARDCenter.jsp>

- Acquisition of Argo data from GDAC corresponding to floats other than deployed by India and made them available on INCOIS web site.
- Delayed Mode Quality Control
(Refer 2.0 above)
- Data from the Indian Ocean regions are gridded into 1x1 box for monthly and 10 days and monthly intervals. These gridded data sets are made available through INCOIS Live Access Server (ILAS). Derived Argo Value added products are also made available in NetCDF format on ILAS. Users can view and download data/images in their desired format.
- Data Sets (CTD, XBT, Subsurface Moorings) are being acquired from many principle investigators. These data are being utilized for quality control of Argo profiles.
- Argo Data Viewer is constantly updated and this product is made available via FTP from INCOIS and UCSD web site.
- Value added products:
Two types of products are currently being made available to various users from INCOIS web site. They are: (i) Time series plots corresponding to each float (only for Indian floats). This include Water fall plots, Surface pressure, Bottom most pressure, Surface temperature, Bottom most temperature, Surface salinity, Bottom most salinity, Trajectory of float, T/S plots. Also, Spatial plots using the objective analysis from all the Argo floats data deployed in the Indian Ocean. This include Temperature (at 0, 75, 100, 200, 500, 1000 meters), Salinity (at 0, 75, 100, 200, 500, 1000 meters), Geostrophic Currents (at 0, 75, 100, 200, 500, 1000 meters), Mixed Layer Depth, Isothermal Layer Depth, Heat Content up to 300 mts, Depth of 20 deg and 26 deg isotherms. These valued added products can be obtained from the above web site.
- Other statistics
- Regional Co-ordination for Argo floats deployment plan for Indian Ocean. The float density in the Indian Ocean as on 09 March 2016 is shown below.

Active Float Density as on 09-Mar-2016



5. Issues that your country wishes to be considered and resolved by the Argo Steering Team regarding the international operation of Argo. These might include tasks performed by the AIC, the coordination of activities at an international level and the performance of the Argo data system. If you have specific comments, please include them in your national report.

None

6. As part of an action item from AST-15 aimed to improve CTD cruise data being added to the reference database by Argo PIs, it is requested that you include the number and location of CTD cruise data uploaded by PIs within your country to the CCHDO website in the past year. These cruises could be used for Argo calibration purposes only or could be cruises that are open to the public as well.

None

7. Argo bibliography

Anilkumar, N., J. V. George, R. Chacko, N. Nuncio, and P. Sabu, 2015: Variability of fronts, fresh water input and chlorophyll in the Indian Ocean sector of the Southern Ocean, *New Zealand Journal of Marine and Freshwater Research*, 1-21, <http://dx.doi.org/10.1080/00288330.2014.924972>

- Bhaskar, T. V. S. U., and C. Jayaram, 2015: Evaluation of Aquarius Sea Surface Salinity With Argo Sea Surface Salinity in the Tropical Indian Ocean, *Geoscience and Remote Sensing Letters, IEEE*, **12**(6), 1292-1296, <http://dx.doi.org/10.1109/LGRS.2015.2393894>
- Chacko, N., D. Dutta, M. M. Ali, J. R. Sharma, and V. K. Dadhwal, 2015: Near-Real-Time Availability of Ocean Heat Content Over the North Indian Ocean, *Geoscience and Remote Sensing Letters, IEEE*, **PP**(99), 1-4, <http://dx.doi.org/10.1109/LGRS.2014.2375196>
- Chaitanya, A., F. Durand, S. Mathew, V. Gopalakrishna, F. Papa, M. Lengaigne, J. Vialard, C. Kranthikumar, and R. Venkatesan, 2015: Observed year-to-year sea surface salinity variability in the Bay of Bengal during the 2009–2014 period, *Ocean Dyn.*, 1-14, <http://dx.doi.org/10.1007/s10236-014-0802-x>
- Chakraborty, A., R. Sharma, R. Kumar, and S. Basu, 2015: Joint assimilation of Aquarius-derived sea surface salinity and AVHRR-derived sea surface temperature in an ocean general circulation model using SEEK filter: Implication for mixed layer depth and barrier layer thickness, *Journal of Geophysical Research: Oceans*, **120**(10), 6927-6942, <http://dx.doi.org/10.1002/2015JC010934>
- Chakraborty, A., R. Kumar, S. Basu, and R. Sharma, 2015: Improving Ocean State by Assimilating SARAL/AltiKa Derived Sea Level and Other Satellite-Derived Data in MITGCM, *Mar. Geod.*, **38**(sup1), 328-338, <http://dx.doi.org/10.1080/01490419.2014.1002142>
- Keerthi, M. G., M. Lengaigne, K. Drushka, J. Vialard, C. de Boyer Montegut, S. Pous, M. Levy, and P. M. Muraleedharan, 2015: Intraseasonal variability of mixed layer depth in the tropical Indian Ocean, *Climate Dynamics*, 1-23, <http://dx.doi.org/10.1007/s00382-015-2721-z>
- Muni Krishna, K., and G. Song, 2015: Physical and biological changes in the south Bay of Bengal due to the Baaz cyclone, *Advances in Space Research*, **56**(8), 1658-1666, <http://dx.doi.org/10.1016/j.asr.2015.07.025>
- Palanisamy, H., A. Cazenave, T. Delcroix, and B. Meyssignac, 2015: Spatial trend patterns in the Pacific Ocean sea level during the altimetry era: the contribution of thermocline depth change and internal climate variability, *Ocean Dyn.*, **65**(3), 341-356, <http://dx.doi.org/10.1007/s10236-014-0805-7>
- Palanisamy, H., A. Cazenave, O. Henry, P. Prandi, and B. Meyssignac, 2015: Sea-Level Variations Measured by the New Altimetry Mission SARAL/AltiKa and its Validation Based on Spatial Patterns and Temporal Curves Using Jason-2, Tide Gauge Data and an Overview of the Annual Sea Level Budget, *Mar. Geod.*, **38**(sup1), 339-353, <http://dx.doi.org/10.1080/01490419.2014.1000469>

- Pant, V., M. S. Girishkumar, T. V. S. U. Bhaskar, M. Ravichandran, F. Papa, and V. P. Thangaprakash, 2015: Observed interannual variability of near-surface salinity in the Bay of Bengal, *Journal of Geophysical Research: Oceans*, **120**(5), 3315-3329, <http://dx.doi.org/10.1002/2014JC010340>
- Rao, R. R., V. Jitendra, M. S. GirishKumar, M. Ravichandran, and S. S. V. S. Ramakrishna, 2015: Interannual variability of the Arabian Sea Warm Pool: observations and governing mechanisms, *Climate Dynamics*, **44**(7-8), 2119-2136, <http://dx.doi.org/10.1007/s00382-014-2243-0>
- Ratheesh, S., R. Sharma, K. V. S. R. Prasad, and S. Basu, 2015: Impact of SARAL/AltiKa-Derived Sea Level Anomaly in a Data Assimilative Ocean Prediction System for the Indian Ocean, *Mar. Geod.*, **38**(sup1), 354-364, <http://dx.doi.org/10.1080/01490419.2014.988833>
- Sabu, P., J. V. George, N. Anilkumar, R. Chacko, V. Valsala, and C. T. Achuthankutty, 2015: Observations of watermass modification by mesoscale eddies in the subtropical frontal region of the Indian ocean sector of southern ocean, *Deep Sea Research Part II: Topical Studies in Oceanography*, **118, Part B**, 152-161, <http://dx.doi.org/10.1016/j.dsr2.2015.04.010>
- Sivareddy, S., M. Ravichandran, M. Girishkumar, and K. Prasad, 2015: Assessing the impact of various wind forcing on INCOIS-GODAS simulated ocean currents in the equatorial Indian Ocean, *Ocean Dyn.*, **65**(9-10), 1235-1247, <http://dx.doi.org/10.1007/s10236-015-0870-6>
- Sreejith, O. P., S. Panickal, S. Pai, and M. Rajeevan, 2015: An Indian Ocean precursor for Indian summer monsoon rainfall variability, *Geophys. Res. Lett.*, **42**(21), 9345-9354, <http://dx.doi.org/10.1002/2015GL065950>
- Udaya Naresh, V. V. B., 2015: Geoprocessing Desktop Application for INCOIS Web Services, *Asian Journal of Multidisciplinary Studies*, **3**(8)

Ph.D thesis: S. Sivareddy, A study on the global ocean analysis from an ocean data assimilation system and its sensitivity to observations and forcing fields, Department of Meteorology and oceanography, Andhra University, Visakhapatnam, India. 2015.