

2023 (7)

- Johnson, G. C., and A. J. Fassbender (2023), After two decades, Argo at PMEL, looks to the future, *Oceanography*, 36(2/3), 54-59, doi: <https://doi.org/10.5670/oceanog.2023.223>.
- Johnson, G. C., and B. A. King (2023), Zapiola Gyre, Velocities and Mixing, New Argo Insights, *Journal of Geophysical Research: Oceans*, 128(6), e2023JC019893, doi: <https://doi.org/10.1029/2023JC019893>.
- Kobayashi, T. (2023), Changes in Antarctic bottom water off the Wilkes Land coast in the Australian-Antarctic Basin, *Deep Sea Research Part I: Oceanographic Research Papers*, 195, 104040, doi: <https://doi.org/10.1016/j.dsr.2023.104040>.
- Liu, Z.-H., et al. (2023), Twenty years of ocean observations with China Argo, *Acta Oceanol. Sin.*, doi: <http://dx.doi.org/10.1007/s13131-022-2076-3>.
- Wang, B., and K. Fennel (2023), An Assessment of Vertical Carbon Flux Parameterizations Using Backscatter Data From BGC Argo, *Geophys. Res. Lett.*, 50(3), e2022GL101220, doi: <https://doi.org/10.1029/2022GL101220>.
- Zilberman, N. V., M. Scanderbeg, A. R. Gray, and P. R. Oke (2023), Scripps Argo Trajectory-Based Velocity Product: Global Estimates of Absolute Velocity Derived from Core, Biogeochemical, and Deep Argo Float Trajectories at Parking Depth, *J. Atmos. Ocean. Technol.*, 40(3), 361-374, doi: <https://doi.org/10.1175/JTECH-D-22-0065.1>.
- Zilberman, N. V., et al. (2023), Observing the full ocean volume using Deep Argo floats, *Frontiers in Marine Science*, 10, doi: <https://doi.org/10.3389/fmars.2023.1287867>.

2022 (8)

- Desbruyères, D. G., E. P. Bravo, V. Thierry, H. Mercier, P. Lherminier, C. Cabanes, T. C. Biló, N. Fried, and M. Femke De Jong (2022), Warming-to-Cooling Reversal of Overflow-Derived Water Masses in the Irminger Sea During 2002–2021, *Geophys. Res. Lett.*, 49(10), e2022GL098057, doi: <https://doi.org/10.1029/2022GL098057>.
- Irminger Sea During 2002–2021, *Geophys. Res. Lett.*, 49(10), e2022GL098057, doi: <https://doi.org/10.1029/2022GL098057>.
- Johnson, G. C. (2022), Antarctic Bottom Water Warming and Circulation Slowdown in the Argentine Basin From Analyses of Deep Argo and Historical Shipboard Temperature Data, *Geophys. Res. Lett.*, 49(18), e2022GL100526, doi: <https://doi.org/10.1029/2022GL100526>.
- Johnson, G. C., C. B. Whalen, S. G. Purkey, and N. Zilberman (2022), Serendipitous Internal Wave Signals in Deep Argo Data, *Geophys. Res. Lett.*, 49(7), e2022GL097900, doi: <https://doi.org/10.1029/2022GL097900>.
- Petit, T., V. Thierry, and H. Mercier (2022), Deep through-flow in the Bight Fracture Zone, *Ocean Sci.*, 18(4), 1055-1071, doi: <https://doi.org/10.5194/os-18-1055-2022>.
- Roemmich, D., W. S. Wilson, W. J. Gould, W. B. Owens, P.-Y. Le Traon, H. J. Freeland, B. A. King, S. Wijffels, P. J. H. Sutton, and N. Zilberman (2022), Chapter 4 - The Argo Program, in *Partnerships in Marine Research*, edited by G. Auad and F. K. Wiese, pp. 53-69, Elsevier, doi: <https://doi.org/10.1016/B978-0-323-90427-8.00004-6>.

- Sévellec, F., A. C. d. Verdière, and N. Kolodziejczyk (2022), Estimation of Horizontal Turbulent Diffusivity from Deep Argo Float Displacements, *J. Phys. Oceanogr.*, 52(7), 1509-1529, doi: <https://doi.org/10.1175/JPO-D-21-0150.1>.
- Wang, Q., Z. Qiu, S. Yang, H. Li, and X. Li (2022), Design and experimental research of a novel deep-sea self-sustaining profiling float for observing the northeast off the Luzon Island, *Scientific Reports*, 12(1), 18885, doi: <https://doi.org/10.1038/s41598-022-23208-7>.

2021 (7)

- Foppert, A., S. R. Rintoul, S. G. Purkey, N. Zilberman, T. Kobayashi, J.-B. Sallée, E. M. van Wijk, and L. O. Wallace (2021), Deep Argo Reveals Bottom Water Properties and Pathways in the Australian-Antarctic Basin, *Journal of Geophysical Research: Oceans*, 126(12), e2021JC017935, doi: <https://doi.org/10.1029/2021JC017935>.
- Gao, Z., Z. Chen, X. Huang, Z. Xu, H. Yang, Z. Zhao, C. Ren, and L. Wu (2021), Internal Wave Imprints on Temperature Fluctuations as Revealed by Rapid-Sampling Deep Profiling Floats, *Journal of Geophysical Research: Oceans*, 126(12), e2021JC017878, doi: <https://doi.org/10.1029/2021JC017878>.
- Kobayashi, T. (2021), Salinity bias with negative pressure dependency caused by anisotropic deformation of CTD measuring cell under pressure examined with a dual-cylinder cell model, *Deep Sea Research Part I: Oceanographic Research Papers*, 167, 103420, doi: <https://doi.org/10.1016/j.dsr.2020.103420>.
- Kobayashi, T., K. Sato, and B. A. King (2021), Observed features of salinity bias with negative pressure dependency for measurements by SBE 41CP and SBE 61 CTD sensors on deep profiling floats, *Prog. Oceanogr.*, 198, 102686, doi: <https://doi.org/10.17882/42182#68322>.
- Lele, R., S. G. Purkey, J. D. Nash, J. A. MacKinnon, A. M. Thurnherr, C. B. Whalen, S. Mecking, G. Voet, and L. D. Talley (2021), Abyssal Heat Budget in the Southwest Pacific Basin, *J. Phys. Oceanogr.*, 51(11), 3317-3333, doi: <https://doi.org/10.1175/JPO-D-21-0045.1>.
- Roemmich, D., et al. (2021), The technological, scientific, and sociological revolution of global subsurface ocean observing, *Frontiers in Ocean Observing: Documenting Ecosystems, Understanding Environmental Changes, Forecasting Hazards*. E.S. Kappel, S.K. Juniper, S. Seeyave, E. Smith, and M. Visbeck, eds, *A Supplement to Oceanography*, 34(4), 2-8, doi: <https://doi.org/10.5670/oceanog.2021.supplement.02-02>.
- Tamsitt, V., et al. (2021), Southern Ocean in Antarctica and the Southern Ocean, *Bull. Amer. Meteorol. Soc.*, 102(8), S317-S356, doi: <https://doi.org/10.1175/BAMS-D-21-0081.1>.

2020 (10)

- André, X., et al. (2020), Preparing the New Phase of Argo: Technological Developments on Profiling Floats in the NAOS Project, *Frontiers in Marine Science*, 7(934), doi: <https://doi.org/10.3389/fmars.2020.577446>.
- Gasparin, F., M. Hamon, E. Rémy, and P.-Y. L. Traon (2020), How Deep Argo Will Improve the Deep Ocean in an Ocean Reanalysis, *J. Clim.*, 33(1), 77-94, doi: <https://journals.ametsoc.org/doi/abs/10.1175/JCLI-D-19-0208.1>.

- Iqbal, K., S. Piao, and M. Zhang (2020), Decadal Spatiotemporal Halocline Analysis by ISAS15 Due to Influx of Major Rivers in Oceans and Discrepancies Illustrated Near the Bay of Bengal, *Water*, 12(10), doi: <https://doi.org/10.3390/w12102886>.
- Iqbal, K., M. Zhang, and S. Piao (2020), Symmetrical and Asymmetrical Rectifications Employed for Deeper Ocean Extrapolations of In Situ CTD Data and Subsequent Sound Speed Profiles, *Symmetry*, 12(9), 1455, doi: <https://doi.org/10.3390/sym12091455>.
- Johnson, G. C., C. Cadot, J. M. Lyman, K. E. McTaggart, and E. L. Steffen (2020), Antarctic Bottom Water Warming in the Brazil Basin: 1990s Through 2020, From WOCE to Deep Argo, *Geophys. Res. Lett.*, 47(18), e2020GL089191, doi: <https://doi.org/10.1029/2020GL089191>.
- Le Traon, P.-Y., et al. (2020), Preparing the New Phase of Argo: Scientific Achievements of the NAOS Project, *Frontiers in Marine Science*, 7(838), doi: <https://doi.org/10.3389/fmars.2020.577408>.
- Mao, C., R. R. King, R. Reid, M. J. Martin, and S. A. Good (2020), Assessing the Potential Impact of Changes to the Argo and Moored Buoy Arrays in an Operational Ocean Analysis System, *Frontiers in Marine Science*, 7(905), doi: <https://doi.org/10.3389/fmars.2020.588267>.
- Silvano, A., et al. (2020), Recent recovery of Antarctic Bottom Water formation in the Ross Sea driven by climate anomalies, *Nat. Geosci.*, 13(12), 780–786, doi: <https://doi.org/10.1038/s41561-020-00655-3>.
- Thomas, G., S. G. Purkey, D. Roemmich, A. Foppert, and S. R. Rintoul (2020), Spatial Variability of Antarctic Bottom Water in the Australian Antarctic Basin From 2018–2020 Captured by Deep Argo, *Geophys. Res. Lett.*, 47(23), e2020GL089467, doi: <https://doi.org/10.1029/2020GL089467>.
- Zilberman, N. V., D. H. Roemmich, and J. Gilson (2020), Deep-Ocean Circulation in the Southwest Pacific Ocean Interior: Estimates of the Mean Flow and Variability Using Deep Argo Data, *Geophys. Res. Lett.*, 47(13), e2020GL088342, doi: <https://doi.org/10.1029/2020GL088342>.

2019 (16)

- Chang, L., H. Tang, Q. Wang, and W. Sun (2019), Global thermosteric sea level change contributed by the deep ocean below 2000 m estimated by Argo and CTD data, *Earth and Planetary Science Letters*, 524, 115727, doi: <https://doi.org/10.1016/j.epsl.2019.115727>.
- Davidson, F., et al. (2019), Synergies in Operational Oceanography: The Intrinsic Need for Sustained Ocean Observations, *Frontiers in Marine Science*, 6(450), doi: <https://doi.org/10.3389/fmars.2019.00450>.
- Fox-Kemper, B., et al. (2019), Challenges and Prospects in Ocean Circulation Models, *Frontiers in Marine Science*, 6(65), doi: <https://doi.org/10.3389/fmars.2019.00065>.
- Fujii, Y., et al. (2019), Observing System Evaluation Based on Ocean Data Assimilation and Prediction Systems: On-Going Challenges and a Future Vision for Designing and Supporting Ocean Observational Networks, *Frontiers in Marine Science*, 6(417), doi: <https://doi.org/10.3389/fmars.2019.00417>.
- Hermes, J. C., et al. (2019), A Sustained Ocean Observing System in the Indian Ocean for Climate Related Scientific Knowledge and Societal Needs, *Frontiers in Marine Science*, 6(355), doi: <https://doi.org/10.3389/fmars.2019.00355>.

- Johnson, G. C., S. G. Purkey, N. V. Zilberman, and D. Roemmich (2019), Deep Argo Quantifies Bottom Water Warming Rates in the Southwest Pacific Basin, *Geophys. Res. Lett.*, 46(5), 2662-2669, doi: <https://doi.org/10.1029/2018GL081685>.
- Le Traon, P. Y., et al. (2019), From Observation to Information and Users: The Copernicus Marine Service Perspective, *Frontiers in Marine Science*, 6(234), doi: <https://doi.org/10.3389/fmars.2019.00234>.
- Levin, L. A., et al. (2019), Global Observing Needs in the Deep Ocean, *Frontiers in Marine Science*, 6(241), doi: <https://doi.org/10.3389/fmars.2019.00241>.
- Meysignac, B., et al. (2019), Measuring Global Ocean Heat Content to Estimate the Earth Energy Imbalance, *Frontiers in Marine Science*, 6(432), doi: <https://doi.org/10.3389/fmars.2019.00432>.
- Palmer, M. D., et al. (2019), Adequacy of the Ocean Observation System for Quantifying Regional Heat and Freshwater Storage and Change, *Frontiers in Marine Science*, 6(416), doi: <https://doi.org/10.3389/fmars.2019.00416>.
- Penny, S. G., et al. (2019), Observational Needs for Improving Ocean and Coupled Reanalysis, S2S Prediction, and Decadal Prediction, *Frontiers in Marine Science*, 6(391), doi: <https://doi.org/10.3389/fmars.2019.00391>.
- Racapé, V., V. Thierry, H. Mercier, and C. Cabanes (2019), ISOW Spreading and Mixing as Revealed by Deep-Argo Floats Launched in the Charlie-Gibbs Fracture Zone, *Journal of Geophysical Research: Oceans*, 124(10), 6787-6808, doi: <https://doi.org/10.1029/2019JC015040>.
- Roemmich, D., et al. (2019), On the Future of Argo: A Global, Full-Depth, Multi-Disciplinary Array, *Frontiers in Marine Science*, 6(439), doi: <https://doi.org/10.3389/fmars.2019.00439>.
- Roemmich, D., et al. (2019), Deep SOLO: A Full-Depth Profiling Float for the Argo Program, *J. Atmos. Ocean. Technol.*, 36(10), 1967-1981, doi: <https://doi.org/10.1175/JTECH-D-19-0066.1>.
- Sloyan, B. M., et al. (2019), The Global Ocean Ship-Based Hydrographic Investigations Program (GO-SHIP): A Platform for Integrated Multidisciplinary Ocean Science, *Frontiers in Marine Science*, 6(445), doi: <https://doi.org/10.3389/fmars.2019.00445>.
- Tamsitt, V., L. D. Talley, and M. R. Mazloff (2019), A Deep Eastern Boundary Current Carrying Indian Deep Water South of Australia, *Journal of Geophysical Research: Oceans*, 124(3), 2218-2238, doi: <https://doi.org/10.1029/2018JC014569>.

2018 (4)

- Chang, Y.-S., S. Zhang, A. Rosati, G. A. Vecchi, and X. Yang (2018), An OSSE Study for Deep Argo Array using the GFDL Ensemble Coupled Data Assimilation System, *Ocean Science Journal*, 53(2), 179-189, doi: <https://doi.org/10.1007/s12601-018-0007-1>.
- Kobayashi, T. (2018), Rapid volume reduction in Antarctic Bottom Water off the Adélie/George V Land coast observed by deep floats, *Deep Sea Research Part I: Oceanographic Research Papers*, 140, 95-117, doi: <https://doi.org/10.1016/j.dsr.2018.07.014>.
- Masuda, S., S. Osafune, and T. Hemmi (2018), Deep-float salinity data synthesis for deep ocean state estimation: method and impact, *Prog. in Earth and Planet. Sci.*, 5(1), 89, doi: <https://doi.org/10.1186/s40645-018-0247-9>.

Wang, T., S. T. Gille, M. R. Mazloff, N. V. Zilberman, and Y. Du (2018), Numerical Simulations to Project Argo Float Positions in the Middepth and Deep Southwest Pacific, *J. Atmos. Ocean. Technol.*, 35(7), 1425-1440, doi: <https://doi.org/10.1175/JTECH-D-17-0214.1>.

2017 (2)

Jayne, S. R., D. Roemmich, N. V. Zilberman, S. C. Riser, K. S. Johnson, G. C. Johnson, and S. R. Piotrowicz (2017), The Argo Program: Present and Future, *Oceanography*, 30(2), 18-28, doi: <http://dx.doi.org/10.5670/oceanog.2017.213>.

Zilberman, N. V. (2017), Deep Argo: Sampling the Total Ocean Volume in State of the Climate in 2016, *Bull. Am. Meteorol. Soc.*, 98(8), S73-S74, doi: <https://doi.org/10.1175/2017BAMSStateoftheClimate.1>.

2016 (1)

Le Reste, S., V. Dutreuil, X. André, V. Thierry, C. Renaut, P.-Y. L. Traon, and G. Maze (2016), "Deep-Arvor": A New Profiling Float to Extend the Argo Observations Down to 4000-m Depth, *J. Atmos. Ocean. Technol.*, 33(5), 1039-1055, doi: <http://dx.doi.org/10.1175/JTECH-D-15-0214.1>.

2015 (1)

Johnson, G. C., J. M. Lyman, and S. G. Purkey (2015), Informing Deep Argo Array Design Using Argo and Full-Depth Hydrographic Section Data, *J. Atmos. Ocean. Technol.*, 32(11), 2187-2198, doi: <http://dx.doi.org/10.1175/JTECH-D-15-0139.1>.

2013 (3)

Kobayashi, T. (2013), Deep NINJA collects profiles down to 4,000 meters, *Sea Technol.*, 54(2), 41-44, doi: [https://www.sea-technology.com/features/2013/0213/deep\\_ninja.php](https://www.sea-technology.com/features/2013/0213/deep_ninja.php).

Kobayashi, T. (2013), A realization of a profiling float for deep ocean observation, *Engineering Materials*, 61(7), 67-70, doi.

Kobayashi, T., and M. Tachikawa (2013), An introduction of a domestic deep float, DEEP NINJA, and its deep/bottom layer observations in the Southern Ocean, *JOS News Letter*, 3(1), doi.